

according to Regulation (EC) No. 1907/2006 as amended by (EC) No. 1272/2008

Section 1. Identification of the Substance/Mixture and of the Company/Undertaking

- 1.1 Product Code:** C34
Product Name: White Grease
- 1.2 Relevant identified uses of the substance or mixture and uses advised against:**
- 1.3 Details of the Supplier of the Safety Data Sheet:**
- | | | | |
|--------------------------|-----------------------------------------------------------------------|----------------------|---------------|
| Company Name: | CYCLO INDUSTRIES, INC.
902 SOUTH US HIGHWAY 1
JUPITER, FL 33477 | Phone Number: | (800)843-7813 |
| Web site address: | www.cyclo.com | | |
| Email address: | ehs@cyclo.com | | |
| Information: | First Aid Emergency (Outside U.S.) | | (312)906-6194 |
- 1.4 Emergency telephone number:**
- | | | |
|---------------------------|-------------------------|---------------|
| Emergency Contact: | First Aid Emergency | (800)752-7869 |
| | CHEMTREC (703) 527-3887 | (800)424-9300 |

Section 2. Hazards Identification

- 2.1 Classification of the Substance or Mixture:**
- Skin Corrosion/Irritation, Category 3
 - Serious Eye Damage/Eye Irritation, Category 2
 - Aspiration Toxicity, Category 1
 - Aquatic Toxicity (Acute), Category 1
 - Flammable Aerosols, Category 2

- 2.2 Label Elements:**



GHS Signal Word: Danger

GHS Hazard Phrases:

H223: Flammable aerosol.
H229: Pressurized container: May burst if heated.
H304: May be fatal if swallowed and enters airways.
H316: Causes mild skin irritation.
H319: Causes serious eye irritation.
H410: Very toxic to aquatic life with long lasting effects.

GHS Precaution Phrases:

P210: Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P211: Do not spray on an open flame or any other ignition source.
P251: Pressurized container: Do not pierce or burn, even after use.
P261: Avoid breathing dust/fumes/gas/mist/vapours/spray.
P270: Do not eat, drink or smoke when using this product.
P271: Use only outdoors or in a well-ventilated area.
P273: Avoid release to the environment.
P280: Wear protective gloves/protective clothing/eye protection/face protection.

GHS Response Phrases:



SAFETY DATA SHEET

White Grease

Revision: 05/09/2016

Supersedes Revision: 09/18/2015

P370+378: In case of fire, use alcohol foam, carbon dioxide, dry chemical or water fog to extinguish.

P301+330+331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P303+361+353: IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.

P363: Wash contaminated clothing before reuse.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P309+311: Call a POISON CENTER or doctor/physician if exposed or you feel unwell.

GHS Storage and Disposal Phrases:

P405: Store locked up.

P410+412: Protect from sunlight and do not expose to temperatures exceeding 50 °C/122 °F.

P501: Dispose of contents/container to {...}.

2.3 Adverse Human Health No data available.

Effects and Symptoms:

Medical Conditions Repeated contact with skin may irritate pre-existing skin conditions.

Generally Aggravated

By Exposure:

Section 3. Composition/Information on Ingredients

CAS #	Hazardous Components (Chemical Name)/ REACH Registration No.	Concentration	EC No./ EC Index No.	GHS Classification
64742-49-0	Naphtha (petroleum), hydrotreated light	10.0 -15.0 %	265-151-9 649-328-00-1	Asp. Toxic. 1: H304 Mutagen 1B: H340 Carcinogen 1B: H350
68476-86-8	Liquified petroleum gas, sweetened	10.0 -15.0 %	270-705-8 649-203-00-1	Comp. Gas: H280 Flam. Gas 1: H220 Mutagen 1B: H340 Carcinogen 1B: H350
7732-18-5	Water	60.0 -70.0 %	231-791-2 NA	No data available.
8042-47-5	Technical white oil* (regulated as mist only)	5.0 -8.0 %	232-455-8 NA	No data available.
64742-96-7	Aliphatic hydrocarbon	2.0 -5.0 %	265-200-4 649-406-00-5	Asp. Toxic. 1: H304
1338-43-8	Sorbitan, monooleate	0.5 -1.0 %	215-665-4 NA	No data available.
9003-29-6	Butene, Homopolymer	0.5 -1.0 %	500-004-7 NA	No data available.
1314-13-2	Zinc oxide	0.5 -1.0 %	215-222-5 030-013-00-7	Aquatic (A) 1: H400 Aquatic (C) 1: H410
1317-65-3	Calcium Carbonate	0.5 -1.0 %	215-279-6 NA	Skin Corr. 2: H315 Eye Damage 1: H318
NA	Aluminum Complex Thickener	0.5 -1.0 %	NA NA	No data available.
1336-21-6	Ammonium hydroxide	0.087 %	215-647-6 007-001-01-2	Skin Corr. 1B: H314 Aquatic (A) 1: H400



Section 4. First Aid Measures

- 4.1 Description of First Aid Measures:** If swallowed, do not induce vomiting. Call physician immediately. If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. If in eyes, rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If on skin, wash skin with soap and large amounts of water. Remove contaminated clothing. Call physician immediately if adverse reaction occurs.

Section 5. Fire Fighting Measures

- 5.1 Suitable Extinguishing Media:** Alcohol foam, carbon dioxide, dry chemical, foam, water fog.
- 5.2 Flammable Properties and Hazards:** No data available.
- Flash Pt:** -141.00 F (-96.1 C)
- Explosive Limits:** LEL: No data. UEL: No data.
- Autoignition Pt:** No data.
- 5.3 Fire Fighting Instructions:** Containers can build up pressure if exposed to heat (fire). As in any fire, wear self-contained breathing apparatus pressure-demand (MSHA/NIOSH approved or equivalent) and full protective gear. Keep containers and surroundings cool with water spray. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

Section 6. Accidental Release Measures

- 6.1 Protective Precautions, Protective Equipment and Emergency Procedures:** No data available.
- 6.2 Environmental Precautions:** No data available.
- 6.3 Methods and Material For Containment and Cleaning Up:** Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. Avoid runoff into storm sewers and ditches which lead to waterways. Wear a self-contained breathing apparatus and appropriate personal protective equipment.

Section 7. Handling and Storage

- 7.1 Precautions To Be Taken in Handling:** Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not spray on an open flame or any other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid breathing dust/fumes/gas/mist/vapours/spray. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection. Keep out of the reach of children.
- 7.2 Precautions To Be Taken in Storing:** Store locked up. Protect from sunlight and do not expose to temperatures exceeding 50 °C/122 °F.

Section 8. Exposure Controls/Personal Protection

8.1 Exposure Parameters:

CAS #	Chemical Name	Britain EH40	France VL	Germany MAK/TRK
64742-49-0	Naphtha (petroleum), hydrotreated light	No data.	No data.	No data.



SAFETY DATA SHEET

White Grease

Revision: 05/09/2016
Supersedes Revision: 09/18/2015

68476-86-8	Liquified petroleum gas, sweetened	No data.	No data.	No data.
7732-18-5	Water	No data.	No data.	No data.
8042-47-5	Technical white oil* (regulated as mist only)	No data.	No data.	TWA: 5 mg/m3 R
64742-96-7	Aliphatic hydrocarbon	No data.	No data.	No data.
1338-43-8	Sorbitan, monooleate	No data.	No data.	No data.
9003-29-6	Butene, Homopolymer	No data.	No data.	No data.
1314-13-2	Zinc oxide	No data.	TWA: 5.0 mg/m3 (Fume)	TWA: 5 mg/m3 A
1317-65-3	Calcium Carbonate	TWA: 10 mg/m3 (Inhalable dust)	No data.	No data.
NA	Aluminum Complex Thickener	No data.	No data.	No data.
1336-21-6	Ammonium hydroxide	No data.	No data.	No data.

CAS #	Chemical Name	OSHA TWA	ACGIH TWA	Europe
64742-49-0	Naphtha (petroleum), hydrotreated light	No data.	No data.	No data.
68476-86-8	Liquified petroleum gas, sweetened	No data.	No data.	No data.
7732-18-5	Water	No data.	No data.	No data.
8042-47-5	Technical white oil* (regulated as mist only)	No data.	No data.	No data.
64742-96-7	Aliphatic hydrocarbon	No data.	No data.	No data.
1338-43-8	Sorbitan, monooleate	No data.	No data.	No data.
9003-29-6	Butene, Homopolymer	No data.	No data.	No data.
1314-13-2	Zinc oxide	PEL: 5 (fume); 15 (dust) mg/m3	TLV: 2 mg/m3 (resp.) STEL: 10 mg/m3 (resp.)	No data.
1317-65-3	Calcium Carbonate	PEL: 15 (dust); 5 (resp.) mg/m3	No data.	No data.
NA	Aluminum Complex Thickener	No data.	No data.	No data.
1336-21-6	Ammonium hydroxide	No data.	No data.	No data.

8.2 Exposure Controls:

8.2.1 Engineering Controls (Ventilation etc.): Good ventilation should be sufficient to control airborne levels. Local exhaust ventilation may be necessary to control any air contaminants to within their TLVs during the use of this product.

8.2.2 Personal protection equipment:

Eye Protection: Wear safety glasses with side shields or goggles when using this product.

Protective Gloves: Impervious gloves should be used.

Other Protective Clothing: Standard industrial clothing standards should be followed.

Respiratory Equipment (Specify Type): A NIOSH/ MSHA approved air purifying respirator with an organic vapor cartridge or canister may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits. Protection provided by air purifying respirators is limited. Use a positive pressure air supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air purifying respirators may not provide adequate protection.

No data available.



Section 9. Physical and Chemical Properties

9.1 Information on Basic Physical and Chemical Properties

Physical States: Gas Liquid Solid
Appearance and Odor: Aerosol with solvent odor.
pH: 10.57
Melting Point: No data.
Boiling Point: No data.
Flash Pt: -141.00 F (-96.1 C)
Evaporation Rate: No data.
Flammability (solid, gas): No data available.
Explosive Limits: LEL: No data. UEL: No data.
Vapor Pressure (vs. Air or mm Hg): No data.
Vapor Density (vs. Air = 1): > Air
Specific Gravity (Water = 1): .883
Solubility in Water: No data.
Octanol/Water Partition Coefficient: No data.
Autoignition Pt: No data.
Decomposition Temperature: No data.
Viscosity: No data.

9.2 Other Information

Percent Volatile: < 24.0 % by weight.

Section 10. Stability and Reactivity

10.1 Reactivity: No data available.
10.2 Stability: Unstable Stable
10.3 Conditions To Avoid - Hazardous Reactions: No data available.
Possibility of Hazardous Reactions: Will occur Will not occur
10.4 Conditions To Avoid - Instability: Avoid open flames and high temperatures. Avoid contact with strong oxidizing agents. Keep product away from temperatures in excess of 120 degrees F. Do not crush, puncture or incinerate container. Do not expose to direct sunlight or store where temperatures could exceed 120 degrees F.
10.5 Incompatibility - Materials To Avoid: Strong oxidizing agents.
10.6 Hazardous Decomposition or Byproducts: Carbon oxides; fumes; hydrocarbons.



Section 11. Toxicological Information

11.1 Information on

Toxicological Effects: Chemical Name LD50 Oral LD50 Dermal LC50 Inhalation
Naphtha (petroleum), hydrotreated light 5000 mg/kg (rat) 3160 mg/kg (rabbit) 73680 ppm (rat) 4h
Mineral oil, petroleum distillates, hydrotreated heavy 5000 mg/kg (rat) 5000 mg/kg (rat) 5 mg/L (rat) 4h
naphthenic Hydrotreated light distillate (petroleum) 5000 mg/kg (rat) 2000 mg/kg (rat) 5.2 mg/L (rat) 4h
CAS# 7732-18-5:
Other Studies:, TDLo, Oral, Species: Rabbit, 3502. GM/KG, 2 W.
Results:
Behavioral: Convulsions or effect on seizure threshold.
Behavioral: Muscle weakness.
Related to Chronic Data - death.
- Journal of Pharmacology and Experimental Therapeutics, Williams & Wilkins Co., 428 E. Preston St., Baltimore, MD 21202, Vol/p/yr: 29,135, 1926

Acute toxicity, TDLo, Oral, Infant, 333.0 GM/KG.
Results:
Behavioral: Convulsions or effect on seizure threshold.
Gastrointestinal:Hypermotility, diarrhea.
Nutritional and Gross Metabolic:Changes in:Body temperature increase.
- Archives of Disease in Childhood., British Medical Journal, Box 560B, Kennebunkport, ME 04046, Vol/p/yr: 54,551, 1979

Acute toxicity, TDLo, Oral, Human, 42.86 GM/KG.
Results:
Behavioral: Tremor.
Behavioral: Muscle contraction or spasticity.
- Journal of Pharmacology and Experimental Therapeutics, Williams & Wilkins Co., 428 E. Preston St., Baltimore, MD 21202, Vol/p/yr: 29,135, 1926

Acute toxicity, LDLO, Rectal, Species: Woman, 180.0 GM/KG, 28 H.
Results:
Sense Organs and Special Senses (Nose, Eye, Ear, and Taste):Eye:Mydriasis (pupillary dilation).
Behavioral: Convulsions or effect on seizure threshold.
Gastrointestinal:Nausea or vomiting.
- Journal of the American Medical Association, American Medical Association, 535 N. Dearborn St., Chicago, IL 60610, Vol/p/yr: 104,1569, 1935

Acute toxicity, LD50, Oral, Rat, > 90.00 ML/KG.
Results:
Kidney, Ureter, Bladder: Changes in liver weight.
- Food Research., For publisher information, see JFDSAZ, Champaign, IL, Vol/p/yr: 21,348, 1956

Acute toxicity, LD50, Intraperitoneal, Mouse, 190.0 GM/KG.
Results:



SAFETY DATA SHEET

White Grease

Kidney, Ureter, Bladder: Changes in liver weight.
Kidney, Ureter, Bladder: Changes in bladder weight.
- National Technical Information Service, Vol/p/yr: AD628-313,

Acute toxicity, LD50, Intravenous, Mouse, 25.00 GM/KG.

Results:

Nutritional and Gross Metabolic: Weight loss or decreased weight gain.

Related to Chronic Data - death.

- Microvascular Research., Academic Press, Inc., 1 E. First St., Duluth, MN 55802,
Vol/p/yr: 8,320, 1974

Acute toxicity, LDLO, Oral, Dog, 629.0 GM/KG.

Results:

Kidney, Ureter, Bladder: Changes in liver weight.

Kidney, Ureter, Bladder: Changes in bladder weight.

- Journal of Pharmacology and Experimental Therapeutics, Williams & Wilkins Co., 428
E. Preston St., Baltimore, MD 21202, Vol/p/yr: 29,135, 1926

Acute toxicity, LDLO, Oral, Species: Cat, 320.0 GM/KG.

Results:

Behavioral: Convulsions or effect on seizure threshold.

- Journal of Pharmacology and Experimental Therapeutics, Williams & Wilkins Co., 428
E. Preston St., Baltimore, MD 21202, Vol/p/yr: 29,135, 1926

Acute toxicity, LDLO, Oral, Species: Rabbit, 368.0 GM/KG.

Results:

Behavioral: Convulsions or effect on seizure threshold.

- Journal of Pharmacology and Experimental Therapeutics, Williams & Wilkins Co., 428
E. Preston St., Baltimore, MD 21202, Vol/p/yr: 29,135, 1926

Acute toxicity, LDLO, Intravenous, Species: Rabbit, 13.00 GM/KG.

Results:

Blood: Other hemolysis with or without anemia.

- Journal of Pharmacology and Experimental Therapeutics, Williams & Wilkins Co., 428
E. Preston St., Baltimore, MD 21202, Vol/p/yr: 29,135, 1926

Acute toxicity, LDLO, Rectal, Species: Rabbit, 450.0 GM/KG.

Results:

Sense Organs and Special Senses (Nose, Eye, Ear, and Taste): Eye: Mydriasis (pupillary
dilation).

Behavioral: Muscle contraction or spasticity.

Gastrointestinal: Changes in structure or function of salivary glands.

- Journal of the American Medical Association, American Medical Association, 535 N.
Dearborn St., Chicago, IL 60610, Vol/p/yr: 104,1569, 1935

Acute toxicity, LDLO, Oral, Species: Guinea pig, 429.0 GM/KG.

Results:

Behavioral: Convulsions or effect on seizure threshold.

- Journal of Pharmacology and Experimental Therapeutics, Williams & Wilkins Co., 428
E. Preston St., Baltimore, MD 21202, Vol/p/yr: 29,135, 1926



Chronic Toxicological Effects: Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal. Chronic hydrocarbon abuse has been associated with irregular heart rhythms and potential cardiac arrest. Prolonged skin contact may deft the skin and produce dermatitis.

CAS #	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
64742-49-0	Naphtha (petroleum), hydrotreated light	n.a.	n.a.	n.a.	n.a.
68476-86-8	Liquified petroleum gas, sweetened	n.a.	n.a.	n.a.	n.a.
7732-18-5	Water	n.a.	n.a.	n.a.	n.a.
8042-47-5	Technical white oil* (regulated as mist only)	n.a.	n.a.	n.a.	n.a.
64742-96-7	Aliphatic hydrocarbon	n.a.	n.a.	n.a.	n.a.
1338-43-8	Sorbitan, monooleate	n.a.	n.a.	n.a.	n.a.
9003-29-6	Butene, Homopolymer	n.a.	n.a.	n.a.	n.a.
1314-13-2	Zinc oxide	n.a.	n.a.	n.a.	n.a.
1317-65-3	Calcium Carbonate	n.a.	n.a.	n.a.	n.a.
NA	Aluminum Complex Thickener	n.a.	n.a.	n.a.	n.a.
1336-21-6	Ammonium hydroxide	n.a.	n.a.	n.a.	n.a.

Section 12. Ecological Information

- 12.1 Toxicity:** No data available.
- 12.2 Persistence and Degradability:** No data available.
- 12.3 Bioaccumulative Potential:** No data available.
- 12.4 Mobility in Soil:** No data available.
- 12.5 Results of PBT and vPvB assessment:** No data available.
- 12.6 Other adverse effects:** No data available.

Section 13. Disposal Considerations

- 13.1 Waste Disposal Method:** Dispose of contents/container in accordance with local/regional/national/international regulation.

Section 14. Transport Information

14.1 LAND TRANSPORT (European ADR/RID):

ADR/RID Shipping Name:

UN Number:

Hazard Class: N.A.

14.2 MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: Aerosols, Ltd. Qty.

UN Number: 1950

Hazard Class: N.A.

IMDG EMS Page:

Packing Group:

IMDG Classification: 2.1

IMDG MFAG Number:

Marine Pollutant: No



SAFETY DATA SHEET

White Grease

14.3 AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: Aerosols, Flammable, 2.1, Ltd. Qty

UN Number: 1950

Hazard Class: N.A.

IATA Classification:

2.1

Section 15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
64742-49-0	Naphtha (petroleum), hydrotreated light	No	No	No
68476-86-8	Liquified petroleum gas, sweetened	No	No	No
7732-18-5	Water	No	No	No
8042-47-5	Technical white oil* (regulated as mist only)	No	No	No
64742-96-7	Aliphatic hydrocarbon	No	No	No
1338-43-8	Sorbitan, monooleate	No	No	No
9003-29-6	Butene, Homopolymer	No	No	No
1314-13-2	Zinc oxide	No	No	Yes-Cat. N982
1317-65-3	Calcium Carbonate	No	No	No
NA	Aluminum Complex Thickener	No	No	No
1336-21-6	Ammonium hydroxide	No	Yes 1000 LB	No

CAS # Hazardous Components (Chemical Name)

Other US EPA or State Lists

64742-49-0	Naphtha (petroleum), hydrotreated light	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No
68476-86-8	Liquified petroleum gas, sweetened	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No
7732-18-5	Water	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No
8042-47-5	Technical white oil* (regulated as mist only)	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No
64742-96-7	Aliphatic hydrocarbon	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No
1338-43-8	Sorbitan, monooleate	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No
9003-29-6	Butene, Homopolymer	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS:



SAFETY DATA SHEET

White Grease

Revision: 05/09/2016

Supersedes Revision: 09/18/2015

No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No

1314-13-2	Zinc oxide	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: TAC, Title 8; MA Oil/HazMat: Yes - Cat.; MI CMR, Part 5: Part 5; NC TAP: No; NJ EHS: Yes - Cat.; NY Part 597: No; PA HSL: Yes - E; SC TAP: No; WI Air: No
1317-65-3	Calcium Carbonate	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: Yes - 1; SC TAP: No; WI Air: No
NA	Aluminum Complex Thickener	CAA HAP,ODC: No; CWA NPDES: No; TSCA: No; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No
1336-21-6	Ammonium hydroxide	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: Title 8; MA Oil/HazMat: Yes; MI CMR, Part 5: Part 5; NC TAP: No; NJ EHS: No; NY Part 597: Yes; PA HSL: Yes - E; SC TAP: No; WI Air: No

CAS # Hazardous Components (Chemical Name)**International Regulatory Lists**

64742-49-0	Naphtha (petroleum), hydrotreated light	Canadian DSL: Yes; Canadian NDSL: No; Taiwan TCSCA: Yes
68476-86-8	Liquified petroleum gas, sweetened	Canadian DSL: Yes; Canadian NDSL: No; Taiwan TCSCA: Yes
7732-18-5	Water	Canadian DSL: Yes; Canadian NDSL: No; Taiwan TCSCA: Yes
8042-47-5	Technical white oil* (regulated as mist only)	Canadian DSL: Yes; Canadian NDSL: No; Taiwan TCSCA: Yes
64742-96-7	Aliphatic hydrocarbon	Canadian DSL: Yes; Canadian NDSL: No; Taiwan TCSCA: Yes
1338-43-8	Sorbitan, monooleate	Canadian DSL: Yes; Canadian NDSL: No; Taiwan TCSCA: Yes
9003-29-6	Butene, Homopolymer	Canadian DSL: Yes; Canadian NDSL: No; Taiwan TCSCA: Yes
1314-13-2	Zinc oxide	Canadian DSL: Yes; Canadian NDSL: No; Taiwan TCSCA: Yes
1317-65-3	Calcium Carbonate	Canadian DSL: No; Canadian NDSL: Yes; Taiwan TCSCA: Yes
NA	Aluminum Complex Thickener	Canadian DSL: No; Canadian NDSL: No; Taiwan TCSCA: No
1336-21-6	Ammonium hydroxide	Canadian DSL: Yes; Canadian NDSL: No; Taiwan TCSCA: Yes

European Community Hazard Symbol codes:**European Community Risk and Safety Phrases:**

No data available.




SAFETY DATA SHEET

White Grease

Section 16. Other Information

Revision Date: 05/09/2016

Hazard Rating System:



Additional Information About No data available.

This Product:

Company Policy or

Disclaimer:

Cyclo Industries, Inc. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. Individuals receiving this information must exercise their independent judgment in determining its appropriateness for a particular purpose. Cyclo Industries, Inc. makes no representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose with respect to the information set forth herein or to the product to which the information refers. Accordingly, Cyclo Industries, Inc. will not be responsible for damages resulting from use of or reliance upon this information.