

**Max 44 Diesel Fuel System Cleaner with EGR & DPF**

Revision: 09/27/2017

Supersedes Revision: 04/20/2017

according to Regulation (EC) No. 1907/2006 as amended by (EC) No. 1272/2008

**Section 1. Identification of the Substance/Mixture and of the Company/Undertaking**

- 1.1 Product Code:** C44D & C44DBINT  
**Product Name:** Max 44 Diesel Fuel System Cleaner with EGR & DPF
- 1.2 Relevant identified uses of the substance or mixture and uses advised against:**  
**Relevant identified uses:** Diesel fuel treatment
- 1.3 Details of the Supplier of the Safety Data Sheet:**
- |                          |   |                                       |
|--------------------------|---|---------------------------------------|
| <b>Company Name:</b>     | CYCLO INDUSTRIES, INC.<br>902 SOUTH US HIGHWAY 1<br>JUPITER, FL 33477 USA | <b>Phone Number:</b><br>(800)843-7813 |
| <b>Web site address:</b> | www.cyclo.com   |                                       |
| <b>Email address:</b>    | ehs@cyclo.com   |                                       |
| <b>Information:</b>      | First Aid Emergency (Outside U.S.)  | (312)906-6194                         |
- 1.4 Emergency telephone number:**
- |                           |                         |               |
|---------------------------|-------------------------|---------------|
| <b>Emergency Contact:</b> | First Aid Emergency     | (800)752-7869 |
|                           | CHEMTREC (703) 527-3887 | (800)424-9300 |

**Section 2. Hazards Identification**

- 2.1 Classification of the Substance or Mixture:**  
Flammable Liquids, Category 3  
Acute Toxicity: Inhalation, Category 4  
Serious Eye Damage/Eye Irritation, Category 2A  
Carcinogenicity, Category 2  
Aspiration Toxicity, Category 1  
Skin Corrosion/Irritation, Category 2  
Aquatic Toxicity (Acute), Category 1  
Aquatic Toxicity (Chronic), Category 2  
Specific Target Organ Toxicity (single exposure), Category 3  
Aquatic Toxicity (Acute), Category 3

- 2.2 Label Elements:**



**GHS Signal Word:** Danger

**GHS Hazard Phrases:**

- H226: Flammable liquid and vapor.  
H304: May be fatal if swallowed and enters airways.  
H315: Causes skin irritation.  
H319: Causes serious eye irritation.  
H332: Harmful if inhaled.  
H336: May cause drowsiness or dizziness.  
H351: Suspected of causing cancer.  
H411: Toxic to aquatic life with long lasting effects.

**Max 44 Diesel Fuel System Cleaner with EGR & DPF**

Revision: 09/27/2017

Supersedes Revision: 04/20/2017

**GHS Precaution Phrases:**

- P201: Obtain special instructions before use.  
 P202: Do not handle until all safety precautions have been read and understood.  
 P210: Keep away from heat/sparks/open flames/hot surfaces - No smoking.  
 P233: Keep container tightly closed.  
 P241: Use explosion-proof electrical/ventilating/lighting equipment.  
 P242: Use only non-sparking tools.  
 P243: Take precautionary measures against static discharge.  
 P261: Avoid breathing dust/fume/gas/mist/vapors/spray.  
 P264: Wash hands thoroughly after handling.  
 P271: Use only outdoors or in a well-ventilated area.  
 P273: Avoid release to the environment.  
 P280: Wear protective gloves/protective clothing/eye protection/face protection.

**GHS Response Phrases:**

- P301+310: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.  
 P302+352: IF ON SKIN: Wash with plenty of soap and water.  
 P303+361+353: IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.  
 P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
 P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P308+313: IF exposed or concerned: Get medical attention/advice.  
 P312: Call a POISON CENTER or doctor/physician if you feel unwell.  
 P321: Specific treatment {see ... on this label}.  
 P331: Do NOT induce vomiting.  
 P332+313: If skin irritation occurs, get medical advice/attention.  
 P337+313: If eye irritation persists, get medical advice/attention.  
 P362+364: Take off contaminated clothing and wash it before reuse.  
 P391: Collect spillage.

**GHS Storage and Disposal Phrases:**

- P403+235: Store in cool/well-ventilated place.  
 P405: Store locked up.  
 P501: Dispose of contents/container in accordance with local/regional/national/international regulation.

**2.3 Adverse Human Health** No data available.**Effects and Symptoms:****Section 3. Composition/Information on Ingredients**

CAS #	Hazardous Components (Chemical Name)/ REACH Registration No.	Concentration	EC No./ EC Index No.	GHS Classification
68476-30-2	Fuel oil, no. 2	83.6 %	270-671-4 649-225-00-1	Carcinogen 2: H351
64742-94-5	Solvent naphtha (petroleum), Heavy arom.	3.0 -6.0 %	265-198-5 649-424-00-3	Asp. Toxic. 1: H304
90622-58-5	Aromatic hydrocarbon	2.1 -4.3 %	292-460-6 NA	Asp. Toxic. 1: H304
91-20-3	Naphthalene	0.1 -0.6 %	202-049-5 601-052-00-2	Acute Tox.(O) 4: H302 Carcinogen 2: H351 Aquatic (A) 1: H400 Aquatic (C) 1: H410
210555-94-5	Phenol, p-dodecyl, branched, para	0.1 -0.5 %	NA	Skin Corr. 2: H315



**Max 44 Diesel Fuel System Cleaner with EGR & DPF**

Revision: 09/27/2017

Supersedes Revision: 04/20/2017

			NA	Eye Damage 2A: H319 STOT (SE) 3: H335 H336 Toxic Repro. 2: H361 Aquatic (C) 1: H410
95-63-6	1,2,4-Trimethylbenzene	0.1 -0.5 %	202-436-9 601-043-00-3	Flam. Liq. 3: H226 Skin Corr. 2: H315 Eye Damage 2: H319 Acute Tox.(I) 4: H332 STOT (SE) 3: H335 H336 Aquatic (C) 2: H411
107-15-3	Ethylenediamine	0.01 -0.1 %	203-468-6 612-006-00-6	Flam. Liq. 3: H226 Acute Tox.(O) 4: H302 Acute Tox.(D) 4: H312 Skin Corr. 1B: H314 Skin Sens. 1: H317 Resp. Sens. 1: H334

**Section 4. First Aid Measures**

**4.1 Description of First Aid Measures:** If swallowed, do not induce vomiting. If inhaled, remove to fresh air. Give artificial respiration if needed. If in eyes, rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. In case of skin contact, remove contaminated clothing. Wash affected areas with soap and water. Call physician immediately if adverse reaction occurs.

**Section 5. Fire Fighting Measures**

**5.1 Suitable Extinguishing Media:** Carbon dioxide, foam, dry chemical or water spray.

**5.2 Flammable Properties and Hazards:** No data available.

**Hazardous Combustion Products:** Carbon monoxide and dioxide, partially burnt hydrocarbon gas.

**Flash Pt:** > 131.00 F (55.0 C) Method Used: Closed Cup

**Explosive Limits:** LEL: N.D. UEL: N.D.

**Autoignition Pt:** No data.

**5.3 Fire Fighting Instructions:** Use water spray to cool fire exposed surfaces and to protect personnel. Isolate "fuel" supply from fire. Avoid spraying water directly into storage containers due to danger of boil over. This liquid is volatile and gives off invisible vapors. Either the liquid or vapor may settle in low areas or travel some distance along the ground or surface to ignition sources where they may ignite or explode. Combustible fluids can form combustible mixtures at temperatures at or above the flashpoint. Toxic gases will form upon combustion. "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous. Use self-contained breathing apparatus. Do not use solid stream of water, since stream will scatter and spread fire.

**Max 44 Diesel Fuel System Cleaner with EGR & DPF**

Revision: 09/27/2017

Supersedes Revision: 04/20/2017

**Section 6. Accidental Release Measures**

- 6.1 Protective Precautions, Protective Equipment and Emergency Procedures:** No data available.
- 6.2 Environmental Precautions:** No data available.
- 6.3 Methods and Material For Containment and Cleaning Up:** Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without hazard. For small spills, implement cleanup procedure; for large spills implement cleanup procedures, keep public away and advise authorities. Prevent liquid from entering sewers, waterways or low areas. Contain spilled liquid with sand or earth. Do not use combustible materials such as sawdust. Recover by pumping (use and explosion proof or hand pump) or with a suitable absorbent. If liquid is too viscous for pumping, scrape up. Remove from water surfaces by skimming or with suitable absorbents.

**Section 7. Handling and Storage**

- 7.1 Precautions To Be Taken in Handling:** Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces - No smoking. Keep container tightly closed. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Wash hands thoroughly after handling. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection. Keep out of reach of children.
- 7.2 Precautions To Be Taken in Storing:** Store locked up. Store in cool/well-ventilated place.

**Section 8. Exposure Controls/Personal Protection****8.1 Exposure Parameters:**

CAS #	Chemical Name	Jurisdiction	Recommended Exposure Limits	Notations
68476-30-2	Fuel oil, no. 2	ACGIH TLV	TLV: 100 mg/m3	
91-20-3	Naphthalene	ACGIH TLV	TLV: 10 ppm STEL: 15 ppm	
		Europe	TWA: 50 mg/m3 (10 ppm)	
		France VL	TWA: 50 mg/m3 (10 ppm)	
		OSHA PELs	PEL: 10 ppm	
95-63-6	1,2,4-Trimethylbenzene	Europe	TWA: 100 mg/m3 (20 ppm)	
		France VL	TWA: 100 mg/m3 (20 ppm) STEL: 250 mg/m3 (50 ppm)	
107-15-3	Ethylenediamine	ACGIH TLV	TLV: 10 ppm	
		France VL	TWA: 25 mg/m3 (10 ppm) STEL: 35 mg/m3 (15 ppm)	
		OSHA PELs	PEL: 10 ppm	

**Max 44 Diesel Fuel System Cleaner with EGR & DPF**

Revision: 09/27/2017

Supersedes Revision: 04/20/2017

**8.2 Exposure Controls:**

**8.2.1 Engineering Controls (Ventilation etc.):** Required when spraying or using at elevated temperatures that may generate oil mists. Use explosion proof ventilation system.

**8.2.2 Personal protection equipment:**

**Eye Protection:** Safety glasses should be adequate protection under most conditions of use. Wear goggles and/or face shield if splashing or spraying is likely.

**Protective Gloves:** Wear impervious protective gloves, such as Nitrile, Neoprene, or PVA.

**Other Protective Clothing:** Avoid prolonged or repeated skin exposure. Chemicals in mixture can be absorbed through the skin, so prevent contact by wearing impervious protective clothing and long sleeves.

**Respiratory Equipment (Specify Type):** Assure adequate ventilation to keep oil mists under safe limits. When necessary, wear proper NIOSH approved respirators or SCBA.

**Work/Hygienic/Maintenance Practices:** Have suitable eye wash water available. Wash hands with plenty of soap and water before eating, drinking, smoking or using toilet facilities. Take a shower after work if general skin contact occurs. Remove oil soaked clothing and launder before reuse. Launder or discard contaminated leather gloves and shoes.  
No data available.

**Section 9. Physical and Chemical Properties****9.1 Information on Basic Physical and Chemical Properties**

**Physical States:** [ ] Gas [X] Liquid [ ] Solid

**Appearance and Odor:** Red liquid with hydrocarbon, aromatic odor.

**pH:** No data.

**Melting Point:** No data.

**Boiling Point:** No data.

**Flash Pt:** > 131.00 F (55.0 C) Method Used: Closed Cup

**Evaporation Rate:** No data.

**Flammability (solid, gas):** No data available.

**Explosive Limits:** LEL: N.D. UEL: N.D.

**Vapor Pressure (vs. Air or mm Hg):** No data.

**Vapor Density (vs. Air = 1):** No data.

**Specific Gravity (Water = 1):** .85 at 60.0 F (15.6 C)

**Solubility in Water:** Negligible

**Octanol/Water Partition Coefficient:** No data.

**Autoignition Pt:** No data.

**Decomposition Temperature:** No data.

**Viscosity:** No data.

**9.2 Other Information**

**Percent Volatile:** No data.

**Max 44 Diesel Fuel System Cleaner with EGR &  
DPF**

Revision: 09/27/2017

Supersedes Revision: 04/20/2017

**Section 10. Stability and Reactivity**

- 10.1 Reactivity:** No data available.
- 10.2 Stability:** Unstable [ ] Stable [ X ]
- 10.3 Conditions To Avoid - Hazardous Reactions:** No data available.
- Possibility of Hazardous Reactions:** Will occur [ ] Will not occur [ X ]
- 10.4 Conditions To Avoid - Instability:** Excessive heat, sources of ignition, halogens, strong acids, alkalis, oxidizers.
- 10.5 Incompatibility - Materials To Avoid:** Strong oxidizing agents.
- 10.6 Hazardous Decomposition or Byproducts:** Carbon monoxide, hydrocarbons, aldehydes and aromatics, oxides.

**Section 11. Toxicological Information**

- 11.1 Information on Toxicological Effects:** CAS# 68476-30-2:  
Other Studies:, TDLo, Skin, Species: Rabbit, 100.0 ML/KG, 12 D.  
Results:  
Skin and Appendages: Skin: After systemic exposure: Dermatitis, irritative.  
Nutritional and Gross Metabolic: Weight loss or decreased weight gain.  
Related to Chronic Data - death.  
- "Toxicology of Petroleum Hydrocarbons, Proceedings of the Symposium, 1st, 1982," MacFarland, H.N., et al., eds., Washington, DC, American Petroleum Institute, 1983  
Volume, Vol/p/yr: 1,1, 1983
- Acute toxicity, LD50, Oral, Rat, 12.00 GM/KG.  
Results:  
Behavioral: Somnolence (general depressed activity).  
- Advances in Modern Environmental Toxicology., Senate Press, Inc., P.O. Box 252, Princeton Junction, NJ 08550, Vol/p/yr: 6,1, 1984
- Acute toxicity, LD (Lethal dose), Skin, Species: Rabbit, > 5.000 GM/KG.  
Results:  
Behavioral: Tremor.  
Behavioral: Convulsions or effect on seizure threshold.  
- Advances in Modern Environmental Toxicology., Senate Press, Inc., P.O. Box 252, Princeton Junction, NJ 08550, Vol/p/yr: 6,1, 1984
- Tumorigenic Effects:, TDLo, Skin, Mouse, 243.0 GM/KG, 97 W.  
Results:  
Tumorigenic: Carcinogenic by RTECS criteria.  
Skin and Appendages: Other: Tumors.  
- Fundamental and Applied Toxicology., Academic Press, Inc., 1 E. First St., Duluth, MN 55802, Vol/p/yr: 9,297, 1987
- Standard Draize Test, Skin, Species: Rabbit, 500.0 MG, 24 H, Moderate.  
Results:  
Brain and Coverings: Changes in surface EEG.

**Max 44 Diesel Fuel System Cleaner with EGR & DPF**

Revision: 09/27/2017

Supersedes Revision: 04/20/2017

- "Toxicology of Petroleum Hydrocarbons, Proceedings of the Symposium, 1st, 1982,"  
MacFarland, H.N., et al., eds., Washington, DC, American Petroleum Institute, 1983  
Volume, Vol/p/yr: 1,1, 1983

Standard Draize Test, Eyes, Species: Rabbit, 100.0 MG, 30 S, Mild.

Results:

Behavioral: Somnolence (general depressed activity).

- "Toxicology of Petroleum Hydrocarbons, Proceedings of the Symposium, 1st, 1982,"  
MacFarland, H.N., et al., eds., Washington, DC, American Petroleum Institute, 1983  
Volume, Vol/p/yr: 1,1, 1983

CAS #	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
68476-30-2	Fuel oil, no. 2	n.a.	2B	A3	n.a.
64742-94-5	Solvent naphtha (petroleum), Heavy arom.	n.a.	n.a.	n.a.	n.a.
90622-58-5	Aromatic hydrocarbon	n.a.	n.a.	n.a.	n.a.
91-20-3	Naphthalene	Possible	2B	A4	n.a.
210555-94-5	Phenol, p-dodecyl, branched, para	n.a.	n.a.	n.a.	n.a.
95-63-6	1,2,4-Trimethylbenzene	n.a.	n.a.	n.a.	n.a.
107-15-3	Ethylenediamine	n.a.	n.a.	A4	n.a.

## Section 12. Ecological Information

- 12.1 Toxicity:** This product may be toxic to aquatic organisms such as algae and daphnia. This substance has also been shown to be toxic to specific fish species for rainbow trout, Atlantic silverside.
- 12.2 Persistence and Degradability:** No data available.
- 12.3 Bioaccumulative Potential:** No data available.
- 12.4 Mobility in Soil:** No data available.
- 12.5 Results of PBT and vPvB assessment:** No data available.
- 12.6 Other adverse effects:** No data available.

## Section 13. Disposal Considerations

- 13.1 Waste Disposal Method:** Dispose of contents/container in accordance with local/regional/national/international regulation.



# SAFETY DATA SHEET

## Max 44 Diesel Fuel System Cleaner with EGR & DPF

### Section 14. Transport Information

#### 14.1 LAND TRANSPORT (European ADR/RID):

**ADR/RID Shipping Name:** Flammable Liquid, n.o.s. (Fuel Oil No. 2, Solvent Naphtha), Ltd Qty  
**UN Number:** 1993 **Packing Group:** III  
**Hazard Class:** 3 - FLAMMABLE LIQUID **ADR Classification:** 3

#### 14.2 MARINE TRANSPORT (IMDG/IMO):

**IMDG/IMO Shipping Name:** Flammable Liquid, n.o.s. (Fuel Oil No. 2, Solvent Naphtha), Ltd Qty  
**UN Number:** 1993 **Packing Group:** III  
**Hazard Class:** 3 - FLAMMABLE LIQUID **IMDG Classification:** 3  
**IMDG MFAG Number:**  
**IMDG EMS Page:** **Marine Pollutant:** No

#### 14.3 AIR TRANSPORT (ICAO/IATA):

**ICAO/IATA Shipping Name:** Flammable Liquid, n.o.s. (Fuel Oil No. 2, Solvent Naphtha), Ltd Qty  
**UN Number:** 1993 **Packing Group:** III  
**Hazard Class:** 3 - FLAMMABLE LIQUID **IATA Classification:** 3

### Section 15. Regulatory Information

#### EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
68476-30-2	Fuel oil, no. 2	No	No	No
64742-94-5	Solvent naphtha (petroleum), Heavy arom.	No	No	No
90622-58-5	Aromatic hydrocarbon	No	No	No
91-20-3	Naphthalene	No	Yes 100 LB	Yes
210555-94-5	Phenol, p-dodecyl, branched, para	No	No	No
95-63-6	1,2,4-Trimethylbenzene	No	No	Yes
107-15-3	Ethylenediamine	Yes 10000 LB	Yes 5000 LB	No

#### CAS # Hazardous Components (Chemical Name)

#### Other US EPA or State Lists

68476-30-2	Fuel oil, no. 2	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No
64742-94-5	Solvent naphtha (petroleum), Heavy arom.	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No
90622-58-5	Aromatic hydrocarbon	CAA HAP,ODC: No; CWA NPDES: No; TSCA: No; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No
91-20-3	Naphthalene	CAA HAP,ODC: HAP; CWA NPDES: Yes; TSCA: Yes - Inventory, 8A PAIR; CA PROP.65: Yes: Canc.; CA TAC, Title 8: TAC, Title 8; MA Oil/HazMat: Yes; MI CMR, Part 5: Part 5; NC TAP: Yes; NJ EHS: Yes - 1322; NY Part 597: Yes; PA HSL: Yes - E; SC TAP: Yes; WI Air: Yes
210555-94-5	Phenol, p-dodecyl, branched, para	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS:





# SAFETY DATA SHEET

## Max 44 Diesel Fuel System Cleaner with EGR &

Revision: 09/27/2017

### DPF

Supersedes Revision: 04/20/2017

No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No

95-63-6 1,2,4-Trimethylbenzene

CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: TAC; MA Oil/HazMat: Yes; MI CMR, Part 5: No; NC TAP: No; NJ EHS: Yes - 2716; NY Part 597: No; PA HSL: Yes - E; SC TAP: No; WI Air: No

107-15-3 Ethylenediamine

CAA HAP,ODC: No; CWA NPDES: Yes; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: Title 8; MA Oil/HazMat: Yes; MI CMR, Part 5: Part 5; NC TAP: Yes; NJ EHS: Yes - 0875; NY Part 597: Yes; PA HSL: Yes - E; SC TAP: No; WI Air: Yes

#### CAS # Hazardous Components (Chemical Name)

68476-30-2	Fuel oil, no. 2
64742-94-5	Solvent naphtha (petroleum), Heavy arom.
90622-58-5	Aromatic hydrocarbon
91-20-3	Naphthalene
210555-94-5	Phenol, p-dodecyl, branched, para
95-63-6	1,2,4-Trimethylbenzene
107-15-3	Ethylenediamine

#### International Regulatory Lists

Canadian DSL: Yes; Canadian NDSL: No; Taiwan TCSCA: Yes

Canadian DSL: Yes; Canadian NDSL: No; Taiwan TCSCA: Yes

Canadian DSL: No; Canadian NDSL: No; Taiwan TCSCA: Yes

Canadian DSL: Yes; Canadian NDSL: No; Taiwan TCSCA: Yes

Canadian DSL: No; Canadian NDSL: Yes; Taiwan TCSCA: Yes


Canadian DSL: Yes; Canadian NDSL: No; Taiwan TCSCA: Yes

Canadian DSL: Yes; Canadian NDSL: No; Taiwan TCSCA: Yes

## Section 16. Other Information

Revision Date: 09/27/2017

Hazard Rating System:



Additional Information About No data available.

This Product:

Company Policy or

Disclaimer:

Cyclo Industries, Inc. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. Individuals receiving this information must exercise their independent judgment in determining its appropriateness for a particular purpose. Cyclo Industries, Inc. makes no representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose with respect to the information set forth herein or to the product to which the information refers. Accordingly, Cyclo Industries, Inc. will not be responsible for damages resulting from use of or reliance upon this information.